L Number	Hits	Search Text	DB	Time stamp
-	772	707/201.ccls.	USPAT;	2004/05/24 09: 5
			US-PGPUB;	
			EPO; JPO;	
		707.3031-	IBM_TDB	2002.05.20.11
	825	707/203.ccls.	USPAT; US-PGPUB:	2003/05/29 11:1
			EPO; JPO;	}
			IBM_TDB	
-	649	707/204.ccls.	USPAT:	2003/05/29 11:1
	•		US-PGPUB;	
İ			EPO; JPO;	
1			IBM_TDB	
-	70	(conflict adj resolution) and replica	USPAT;	2003/05/29 16:0
			US-PGPUB;	
1			EPO; JPO;	
_	7	//conflict adi resolution) and replical and @rlad - 19990777	IBM_TDB	2004/01/00 11 4
-	,	((conflict adj resolution) and replica) and @rlad<=19980727	USPAT; US-PGPUB;	2004/01/09 11:4
			EPO; JPO;	
			IBM_TDB	1
_	1	"5926816".PN	USPAT:	2003/05/29 11: 2
	_		US-PGPUB	
-	1	"5884325".PN.	USPAT;	2003/05/29 11: 2
			US-PGPUB	
- [1	"5926816".PN.	USPAT;	2003/05/29 11: 2
			US-PGPUB	
-	1	"5806075".PN.	USPAT;	2003/05/29 11: 2
		werter (as a DNI	US-PGPUB	
-	1	"5737601".PN.	USPAT;	2003/05/29 13: 2
_	64	conflict adj resolution adj rule	US-PGPUB USPAT;	3003 (05 (30 1 / 0
_	07	conflict adj resolution adj rute	US-PGPUB;	2003/05/29 16:0
			EPO; JPO;	
			IBM_TDB	
-	15	(conflict adj resolution adj rule) and @rlad<=19980727	USPAT;	2004/05/21 09:1
į		,	US-PGPUB;	
			ЕРО; ЛРО;	
			IBM_TDB	
-	0	((conflict adj type) and replica) and @rlad<=19980727	USPAT;	2003/05/29 16:1
			US-PGPUB;	
			EPO; JPO;	
_	13	((conflict adj type) and database) and @rlad<=19980727	IBM_TDB	3003,05,30,17,1
	13	((confinct adj type) and database) and (confinct adj type) and database)	USPAT; US-PGPUB;	2003/05/29 16:1
			EPO; JPO;	
			IBM_TDB	
	35	(conflict adj resolution adj rule) and (@rlad<=19980727 or @ad<=19980727)	USPAT;	2004/01/09 10:4
		(US-PGPUB;	200 17 027 07 201 1
			EPO; JPO;	
			IBM_TDB	
-	7	"6275831"	USPAT;	2004/01/09 10:4
			US-PGPUB;	
			ЕРО; ЈРО;	
		(and filet add and filet and add addition add and	IBM_TDB	
-	1	(conflict adj resolution) and (decision adj set)	USPAT;	2004/01/09 11:4
			US-PGPUB; EPO; JPO;	
			IBM_TDB	
-	34	((conflict adj resolution) and replica) and (@rlad<=19980727 @ad<=19980727)	USPAT;	2004/01/09 11:4
	•	((o) 11 (o) 12 (o) 12 (o) 13 (o) 14 (US-PGPUB;	200 // 02/0/ 22: 1
			EPO; JPO;	
į			IBM_TDB	
	12	(((conflict adj resolution) and replica) and (@rlad<=19980727 @ad<=19980727))	USPAT;	2004/01/09 12:0
İ	1	and decision	US-PGPUB;	
			ЕРО; ЈРО;	
	_	(1	IBM_TDB	
-	7	(resolve adj conflict) and (decision adj set)	USPAT;	2004/01/09 12:4
			US-PGPUB; EPO; JPO;	
		,	IBM_TDB	
_	1	5,926,816.pn.	USPAT;	2004/01/09 13: 3
	-	-,,, F	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	

1 5996001 pm. US-PGPUB ERG PPO PPO IBM TDB USPAT U					
S99601.pn.	-	1	5475377.pn.	USPAT;	2004/01/09 15:15
1					
1 5994001.pn. USPAT, US-PGTUB, EPC, PTC,			•		
-	_	1	5004001 nn		2004/01/00 15:15
-	-	1	3378002.pii.		2004/01/07 15:15
20 dynamic adj decision adj set IBM_TDB USPAT USPGPUB; EPO, IPO, IBM_TDB USPAT USPGPUB; EPO, IPO, IBM_TDB USPAT USPGPUB; EPO, IPO, IBM_TDB USPAT USPGPUB; EPO, IPO, IBM_TDB USPAT USPGPUB; EPO, IPO, IBM_TDB USPAT USPGPUB; EPO, IPO, IBM_TDB USPAT USPAT USPGPUB; EPO, IPO, IBM_TDB USPAT USP					
-		1			
- 40 dynamic with (conflict adj resolution) Us-PGPUB EPO, PPO, IBM, TIDB USPAT USP	-	0	dynamic adi decision adi set		2004/05/21 09: 09
Conflict adj resolution Conflict Conflict adj resolution Conflict Conflict adj resolution Conflict Conflict adj resolution Conflict Confli		1			
HBM_TDB USPAT, USPAT USP	1				
29 (dynamic with (conflict adj resolution)) and (@rlad<-19980727 @ad<-19980727) U.S.P.GPUB, EPO, IPO, IBM, TDB U.S.P.GPUB, CONFIDENT CONFIDE					
- 29 (dynamic with (conflict adj resolution)) and (@jriad<-19980727 @ad<-19980727)	-	40	dynamic with (conflict adj resolution)	USPAT;	2004/05/21 09:10
Conflict adj resolution and (@rlad<=19980727 (@ad<=19980727) EBM_TDB Conflict adj resolution and (@rlad<=19980727 (@ad<=19980727) USPAT, USPGPUB, EPO, IPO, IBM_TDB Conflict adj resolution and (@rlad<=19980727 (@ad<=19980727) USPAT, USPGPUB, EPO, IPO, IBM_TDB Conflict adj resolution and (@rlad<=19980727 (@ad<=19980727) USPAT, USPGPUB, EPO, IPO, IBM_TDB USPAT, USP	1	1			ļ
Conflict adj resolution and (@rlad<=19980727 @ad<=19980727)					
US-PGPUB FPG, IPG, IBM, TDB Conflict adj resolution adj setting) and (@rlad<=19980727 @ad<=19980727) US-PGPUB FPG, IPG, IBM, TDB Conflict adj resolution adj setting) and (@rlad<=19980727 @ad<=19980727) US-PGPUB FPG, IPG, IBM, TDB Conflict adj resolution and (@rlad<=19980727 @ad<=19980727) and (solution adj procedure) General adj procedure) General adj procedure Ge	1		(1		
- 4 (conflict adj resolution adj setting) and (@rlad<=19980727 @ad<=19980727) - 6 ("5640566"1"5549195"1"55849384"1"5684990"1"58895579"1"5589705").PN 776 (conflict adj resolution) and (@rlad<=19980727 @ad<=19980727) - 776 (conflict adj resolution) and (@rlad<=19980727 @ad<=19980727) and (gendency) and inconsistency - 8 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (solution) and (procedure) - 124 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (solution) adj procedure) - 124 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (solution) (procedure) - 124 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (solution) (procedure) - 124 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (solution) (procedure) - 124 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (procedure) - 125 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and replica - 126 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and replica - 127 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and replica - 128 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and replica - 129 ((conflict adj resolution) and (@rlad<=19980727) (procedure) - 120 ((conflict adj resolution) and (@rlad<=19980727) (procedure) - 129 ((conflict adj resolution) and (@rlad<=19980727) (procedure) - 120 ((conflict adj resolution) and (@rlad<=19980727) (procedure) - 120 ((conflict adj resolution) and (@rlad<=19980727) (procedure) - 120 ((conflict adj resolution) and (@rlad<=19980727) (procedure) - 120 ((conflict adj resolution) and (@rlad<=19980727) (procedure) - 120 ((conflict adj resolution) and (@rlad<=19980727) (procedure) - 120 ((conflict adj resolution) and (@rlad<=19980727) (proced	-	29	(dynamic with (conflict adj resolution)) and (@riad<=19980727 (@ad<=19980727)		2004/05/21 10: 23
Conflict adj resolution adj setting) and (@rlad<-19980727) @ad<-19980727) USPAT, US-PGPUB, Pro, Pro, Pro, Pro, Pro, Pro, Pro, Pro					
Conflict adj resolution adj setting) and (@rlad<-19980727 @ad<-19980727) USFAT, US-PCPUB, EPO, PPO, P					
US-PGPUB EPC, IPC, IBM_TIDB EPC, IPC, IPC, IPC, IPC, IPC, IBM_TIDB EPC, IPC, IPC, IPC, IPC, IPC, IPC, IPC, I		۱ ،	(conflict adi resolution adi setting) and (@rlad - 19990737 @ad - 19990737)		2004 (05 (21 11 46
- 6 ("5440566" "5649195" "5684984" "5684990" "5689759" "5689705").PN. - 776 (conflict adj resolution) and (@rlad<=19980727 @ad<=19980727) - 36 (((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and dependency) and inconsistency - ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (solution adj procedure) - ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (solution adj procedure) - ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (solution adj procedure) - ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (solution USPAT, USP-GPUB, EPO, IPO, IBM, TDB USPAT, USP-GPUB, EPO, IPO, IBM, TDB USPAT, USPA		7	teominet auf resolution auf setting/ and teoriade=17760/27 (wade=17760/27)		2004/03/21 11:46
BM_TDB Coordict adj resolution and (@rlad<=19980727 @ad<=19980727) and Coordict adj resolution and (@rlad<=19980727) and Coordict adj resolution and (@rlad<=19980727 @ad<=19980727) and Coordict adj resolution and (@rlad<=19980727 @ad<=19980727) Coordict adj resolution and (@rlad<=19980727 @ad<=19980727 Coordict adj resolution and (@rlad<=19980727 @ad<=19980727 Coordict adj resolution and (@rlad<=19980727 @ad<=19980727) Coordict adj resolution and (@rlad<=19980727 @ad<=1998072					
Conflict adj resolution and (@rlad<-19980727 @ad<-19980727) USPAT USPA					
Conflict adj resolution and (@rlad<=19980727 @ad<=19980727) USPAT; BPO, IPO; BIM, TDB USPAT; BPO, IPO; BPO; BPO; BPO; BPO; BPO; BPO; BPO; B	-	6	("5640566" "5649195" "5684984" "5684990" "5689579" "5689705").PN.		2004/05/21 10:26
124 ((conflict adj resolution) and ((((add<-19980727) (((add)-19980727)) and (((add)-19980727)) and ((((add)-19980727)) and (((((add)-19980727)) (((((((add)-19980727)) ((((((((((((((((((((((((((((((((((i	1			
- 36 (((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (grlad<=19980727) and (grlad<=19980727)) and (solution adj procedure) - ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (solution adj procedure) - ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (grlad<=19980727) and (grlad<=19980727)) and (grlad<=19980727) and (grlad<=19980727)) and (grlad<=19980727) and (grlad<=19980727)) and (grlad<=19980727)) and (grlad<=19980727)) and (grlad<=19980727)) and replica - ((conflict adj resolution) and (@rlad<=19980727) (grlad<=19980727)) and replica - ((conflict adj resolution) and (@rlad<=19980727) (grlad<=19980727)) and replica - ((conflict adj resolution) and (@rlad<=19980727) (grlad<=19980727)) and replica - ((conflict adj resolution) and (@rlad<=19980727) (grlad<=19980727)) and replica - ((conflict adj resolution) and (@rlad<=19980727) (grlad<=19980727) (grlad<=1998072			,		
Conflict adj resolution and (@rlad<=19980727 (@ad<=19980727)) and USPAT; US-PGFUB; EPO, IPO, IBM, TDB USPAT; US-PGFUB; EPO, IPO, IPO, IPO, IPO, IPO, IPO, IPO, I					
dependency) and inconsistency					
Conflict adj resolution and (@rlad<=19980727 @ad<=19980727) and (solution adj procedure) Conflict adj resolution adj procedure) Conflict adj resolution and (@rlad<=19980727 @ad<=19980727) and (USPAT, USPGPUB, EPO, IPO, IBM, TDB USPAT, USPGPUB, ISMONOSE Conflict adj resolution and (@rlad<=19980727) and ception Conflict adj resolution and (@rlad<=19980727) and replica Conflict adj resolution and (@rlad<=19980727) and replica Conflict adj resolution and (@rlad<=19980727) Conflict adj resolution Conflict adj resolution and (@rlad<=19980727) Conflict adj resolution Conf	-	36	(((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and		2004/05/21 12:20
BM_TDB			dependency) and inconsistency		
Conflict adj resolution and (@rlad<=19980727 @ad<=19980727) and (solution adj procedure) USPAT; USPGPUB; EPO, IPO, IBM_TDB USPAT; USPGPUB; EPO, IPO, IBM_TDB USPAT; USPGPUB; EPO, IPO, IBM_TDB EPO, IPO, IBM_TDB USPAT; USPGPUB; EPO, IPO, IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPGPUB; EPO, IPO, IBM_TDB USPAT;					
adj procedure) SP-GPUB; EPO, IPO, IBM, TDB USPAT; US-PGPUB; EPO, IPO; IBM, TDB US-PGPUB; EPO, IPO; IBM, TDB US-PGPUB; EPO, IPO; IBM, TDB US-PGPUB; EPO, IPO; IBM, TDB US-PGPUB; EPO, IPO; IBM, TDB US-PGPUB; EPO, IPO; IBM, TDB US-PGPUB; EPO, IPO; IBM, TDB US-PGPUB; EPO, IPO; IBM, TDB US-PGPUB; EPO, IPO; IBM, TDB US-PGPUB; EPO, IPO; IBM, TDB US-PGPUB; EPO, IPO; IBM, TDB US-PGPUB; EPO, IPO; IBM, TDB US-PGPUB; EPO, IPO; IBM, TDB US-PGPUB; EPO, IPO; IBM, TDB US-PGPUB; EPO; IPO; IBM, TDB US-PGPUB; EPO; IPO; IBM, TDB US-PGPUB; EPO; IPO; IBM, TDB US-PGPUB; EPO; IPO; IBM, TDB US-PGPUB; EPO; IPO; IBM, TDB US-PGPUB; EPO; IPO; IBM, TDB US-PGPUB; EPO; IPO; IBM, TDB US-PGPUB; EPO; IPO; IBM, TDB US-PGPUB; EPO; IPO; IBM, TDB US-PGPUB; EPO; IPO; IBM, TDB US-PGPUB; EPO; IPO; IBM, TDB US-PGPUB; EPO; IPO; IBM, TDB US-PGPUB; EPO; IPO; IBM, TDB US-PGPUB; EPO; IPO; IBM, TDB US-PGPUB; EPO; IPO; IBM, TDB			(
Poly Poly BPO BPO Poly BPO BPO Poly BPO BPO Poly BPO BPO Poly BPO BPO Poly BPO BPO Poly BPO BPO Poly BPO Poly BPO Poly BPO Poly BPO Poly BPO BPO Poly BPO	-	6	((conflict adj resolution) and (@riad<=19980727 (@ad<=19980727)) and (solution		2004/05/21 12: 20
124 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and dependency ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and dependency and database ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and replica ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and replica ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and replica ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and replica ((conflict adj resolution) and (@rlad<=19980727)) and replica ((conflict adj resolution) and (@rlad<=19980727)) and replica ((conflict adj resolution) and (@rlad<=19980727) ((conflict adj resolution) and ((conflict adj resolution) and			adj procedure)		
124 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727) and dependency USPAT; USPGPUB; EPO; IPO; IBM_TDB USPAT; USPAT; USPGPUB; EPO; IPO; IBM_TDB USPAT; USPGPUB; EPO; IPO; IBM_TDB USPAT; USPAT	j l				
dependency	_	124	((conflict adj resolution) and (@rlad - 19990727 @ad - 19990727) and		2004/05/21 12 27
- 34 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and dependency and database - 34 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and replica - 35 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and replica - 36 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and replica - 36 ((conflict adj resolution) and (@rlad<=19980727) and replica - 37 ((conflict adj resolution) and (@rlad<=19980727) and replica - 36 ((conflict adj resolution) and database and replica - 37 ((resolve adj conflict) and database and replica) - 38 ((resolve adj conflict) and database and replica) and (@rlad<=19980727) - 39 ((resolve adj conflict) and database and replica) and (@rlad<=19980727) - 30 ((resolve adj conflict) and database and replica) and (@rlad<=19980727) - 30 ((resolve adj conflict) and database and replica) and (@rlad<=19980727) - 30 ((resolve adj conflict) and database and replica) and (@rlad<=19980727) - 30 ((resolve adj conflict) and database and replica) and (@rlad<=19980727) - 30 ((resolve adj conflict) and database and replica) and (@rlad<=19980727) - 30 ((resolve adj conflict) and database and replica) and (@rlad<=19980727) - 30 ((resolve adj conflict) and database and replica) and (@rlad<=19980727) - 30 ((resolve adj conflict) and database and replica) and (@rlad<=19980727) - 30 ((resolve adj conflict) and database and replica) and (@rlad<=19980727) - 30 ((resolve adj conflict) and database and replica) and (@rlad<=19980727) - 30 ((resolve adj conflict) and database and replica) and (@rlad<=19980727) - 30 ((resolve adj conflict) and database and replica) and (@rlad<=19980727) - 30 ((resolve adj conflict) and database and replica) and (@rlad<=19980727) - 30 ((resolve adj conflict) and database and replica) and (@rlad<=19980727) - 30 ((resolve adj conflict) and database and replica) and (@rlad<=19980727) - 30 ((resolve adj conflict) and database and replica) and (@rlad<=19980727) - 30 ((resolve adj conflict) and database a	_	124			2004/05/21 12: 37
BM_TDB USPAT; US-PGPUB; EPO; IPO; IBM_TDB USPAT; USPAPUB; EPO; IPO; IBM_TDB USPAT; USPAT; USPAT; USPAPUB; EPO; IPO; IBM_TDB USPAT; USPAT; USPGPUB; EPO; IPO; IBM_TDB USPAT; USPAT; USPAT; USPGPUB; EPO; IPO; IBM_TDB USPAT; USPAPUB; EPO; IPO; IBM_TDB USPAT; USPAPAT; USPAT; U	1		dependency		
Conflict adj resolution and (@rlad<=19980727 @ad<=19980727) and dependency and database USPAT; US-PGPUB; EPO; IPO; IBM_TDB USPAT; US-PGPUB; IPO; IPO; IBM_TDB USPAT; US-PGPUB; IPO; IPO; IPO; IPO; IPO; IPO; IPO; IPO		1			
dependency and database	-	34	((conflict adi resolution) and (@rlad<=19980727 @ad<=19980727)) and		2004/05/21 12:39
- 34 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and replica USPAT; US-PGPUB; EPO; PO; IBM_TDB USPAT to solve adj conflict) and database and replica USPAT; US-PGPUB; EPO; PO; IBM_TDB US-PGPUB; EPO; PO; IBM_TDB US-PGPUB; EPO; PO; IBM_TDB US-PGPUB; EPO; PO; IBM_TDB US-PGPUB; EPO; PO; IBM_TDB US-PGPUB; EPO; PO; IBM_TDB US-PGPUB; EPO; PO; IBM_TDB US-PGPUB; EPO; PO; IBM_TDB US-PGPUB; EPO; PO; IBM_TDB US-PGPUB; EPO; PO; IBM_TDB US-PGPUB; EPO; PO; IBM_TDB US-PGPUB; EPO; PO; IBM_TDB US-PGPUB; EPO; PO; IBM_TDB US-PGPUB; EPO; PO; IBM_TDB US-PGPUB; EPO; PO; IBM_TDB US-PGPUB; EPO; PO; IBM_TDB US-PGPUB; EPO; PO; IBM_TDB US-PGPUB; EPO; PO; IBM_TDB US-PGPUB; EPO; PO; IBM_			dependency and database		2001/03/22 22:3/
- 34 ((conflict adj resolution) and (@rlad<=19980727 (@ad<=19980727)) and replica - 6 ("5737601"1"5806075"1"5870759"1"5870765"1"5884325"1"5926816").PN 78 (resolve adj conflict) and database and replica - 24 ((resolve adj conflict) and database and replica) and (@rlad<=19980727			<u> </u>		
Cookies with (hard adj drive adj ID) USPAT					
FPO; JPO; JBM_TDB Cookies with (hard adj drive adj ID) FPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	-	34	((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and replica		2004/05/21 13:49
BM_TDB		1			
- 6 ("5737601" "5806075" "5870765" "5870765" "5884325" "5926816").PN. - 78 (resolve adj conflict) and database and replica) - 24 ((resolve adj conflict) and database and replica) and (@rlad<=19980727 USPAT; USPAT; USPGPUB; EPO; JPO; IBM_TDB USPAT; USPGPUB; EPO; JP					
- 8 6058401.URPN. (resolve adj conflict) and database and replica - 24 ((resolve adj conflict) and database and replica) and (@rlad<=19980727		,	(UPT37/01 UP00/07 UP070707 UP0707		
Tesolve adj conflict) and database and replica	-				1
- 24 ((resolve adj conflict) and database and replica) and (@rlad<=19980727 US-PGPUB; EPG, JPO; IBM_TDB USPAT; US-PGPUB; EPO, JPO; IBM_TDB USPAT USPAT; US-PGPUB; EPO, JPO; IBM_TDB USPAT; US-PGPUB; IBM_TDB US	<u> </u>				
EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TD		/8	hesoive auj continci) and database and replica		2004/05/21 13:50
- 24 ((resolve adj conflict) and database and replica) and (@rlad<=19980727					
- 24 ((resolve adj conflict) and database and replica) and (@rlad<=19980727 USPĀT; US-PGPUB; EPO; JPO; IBM_TDB USPĀT USPĀT			,		-
@ad<=19980727) - 22 5613079.URPN 167 (eliminat\$ adj inconsistency) and (@rlad<=19980727 @ad<=19980727) - 10 ((eliminat\$ adj inconsistency) and (@rlad<=19980727 @ad<=19980727)) and USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB	<u>-</u>	24	((resolve adi conflict) and database and renlica) and @rlade=19980727		2004/05/21 14.10
- 22 5613079.URPN 167 (eliminat\$ adj inconsistency) and (@rlad<=19980727 @ad<=19980727) - 10 ((eliminat\$ adj inconsistency) and (@rlad<=19980727 @ad<=19980727)) and conflict - 10 ((eliminat\$ adj inconsistency) and (@rlad<=19980727 @ad<=19980727)) and USPAT; US-PGPUB; EPO; IPO; IBM_TDB USPAT; US-PGPUB; EPO; IPO; IBM_TDB USPAT; US-PGPUB; EPO; IPO; IBM_TDB USPAT; US-PGPUB; EPO; IPO; IBM_TDB USPAT; US-PGPUB; EPO; IPO; IBM_TDB USPAT; US-PGPUB; EPO; IPO; IBM_TDB USPAT; US-PGPUB; EPO; IPO; IBM_TDB USPAT; US-PGPUB; EPO; IPO; IBM_TDB USPAT; US-PGPUB; EPO; IPO; IBM_TDB USPAT; US-PGPUB; EPO; IPO; IBM_TDB USPAT; US-PGPUB;					2007/03/21 14: 17
- 22 5613079.URPN. (eliminat\$ adj inconsistency) and (@rlad<=19980727 @ad<=19980727) - 10 ((eliminat\$ adj inconsistency) and (@rlad<=19980727 @ad<=19980727)) and conflict - 363 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (database (data adj base)) - 0 cookies with (hard adj drive adj ID) IBM_TDB			⊕ <u></u>		
22 5613079.URPN. USPAT					
- 10 ((eliminat\$ adj inconsistency) and (@rlad<=19980727 @ad<=19980727)	-	22	5613079.URPN.		2004/05/21 14:11
- 10 ((eliminat\$ adj inconsistency) and (@rlad<=19980727 @ad<=19980727)) and conflict - 363 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (database (data adj base)) - 0 cookies with (hard adj drive adj ID) US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; US-PG	-	167	(eliminat\$ adj inconsistency) and (@rlad<=19980727 @ad<=19980727)		2004/05/21 14: 20
- 10 ((eliminat\$ adj inconsistency) and (@rlad<=19980727 @ad<=19980727)) and conflict - 363 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (database (data adj base)) - 0 cookies with (hard adj drive adj ID) EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; US-PGPUB; IBM_T				US-PGPUB;	
10				ЕРО; ЛРО;	
conflict ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (database (data adj base)) ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (database USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB;					
- 0 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (database (data adj base)) EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; US	-	10		USPAT;	2004/05/21 14: 20
- 0 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (database (data adj base)) Cookies with (hard adj drive adj ID) IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB;		i i	conflict		
- 363 ((conflict adj resolution) and (@rlad<=19980727 @ad<=19980727)) and (database (data adj base)) - 0 cookies with (hard adj drive adj ID) Cookies with (hard adj drive adj ID) USPAT; U		[
(data adj base)) US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; 2004/05/24 09: 9		.,,	Moonflist adi recolution t and Malada, secondor O. 1.		
EPO; JPO; IBM_TDB USPAT; USPGPUB;	-	363	((confinct adj resolution) and (@riad<=19980727 (@ad<=19980727)) and (database		2004/05/21 14: 25
- cookies with (hard adj drive adj ID) IBM_TDB USPAT; 2004/05/24 09: 9 US-PGPUB;			(uata auj oase))		
o cookies with (hard adj drive adj ID) USPAT; 2004/05/24 09: 9 US-PGPUB;				EPU; JPU;	
US-PGPUB;	_		cookies with thard adi drive adi ID)		2004/05/24 00 5/
			Cookies with him and arready 1D/	IIS-DCDIID.	4004/U3/24 U7: 56
EPO; JPO;					
BM_TDB	l				

-	77	cookies with (hard adj drive)	USPAT;	2004/05/24 09: 52
			US-PGPUB:	
			EPO; JPO;	
			IBM_TDB	
•	0	cookies and (hard adj drive adj ID)	USPĀT;	2004/05/24 09: 56
		, , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	7	(hard adj drive adj ID)	USPĀT;	2004/05/24 09: 56
			US-PGPUB:	
			EPO; JPO;	
			IBM TDB	

Doguments

Citations

Searching for conflict resolution and replica.

Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Amazon B&N Google (RI)

Google (Web) CSB DBLP

56 documents found. Order: number of citations.

Experience with Disconnected Operation in a Mobile .. - Satyanarayanan.. (1993) (Correct) (84 citations) file reference traces, weak connectivity, conflict resolution, transactions 1. Introduction Portable Both mechanisms rely on an optimistic replica control strategy. This offers the highest degree users recover from such conflicts. 3.1. Server Replication The first high-availability mechanism, www.cs.cmu.edu/afs/cs.cmu.edu/project/coda/Web/docdir/mobile93.ps.Z

Resolving File Conflicts in the Ficus File System - Reiher, Heidemann, Ratner.. (1994) (Correct) (37 citations) experiences with conflicts and automatic conflict resolution in Ficus. It presents data on the Los Angeles Abstract Ficus is a flexible replication facility with optimistic concurrency control intervention. 1 Introduction The value of file replication is widely recognized, but replication of ftp.cs.ucla.edu/pub/ficus/usenix summer 94 resolver.ps.gz

Application-Aware Adaptation for Mobile Computing - Satyanarayanan Brian (1995) (Correct) (26 citations) drops. 3. Example: Application-Specific Conflict Resolution A simple instance of this collaborative Coda File System [2, 3]Coda uses an optimistic replica control strategy to allow updates to cached data A Highly Available File System for a Distributed Replicated File System. Workstation Environment. In www.eecs.umich.edu/~bnoble/papers/dagstuhl94.ps.gz

Supporting Application-Specific Resolution in an.. - Puneet Kumar.. (1993) (Correct) (24 citations) application-specific knowledge for conflict resolution in an optimistically replicated file Resolution in an Optimistically Replicated File System Puneet Kumar &M. for conflict resolution in an optimistically replicated file system. Conflicts arise in such systems www.cs.cmu.edu/afs/cs/project/coda/Web/docdir/wwos4.pdf

Data Replication in Mariposa - Sidell, Aoki, Barr, Sah, Staelin.. (1996) (Correct) (20 citations) synchronization. We present a rule-based conflict resolution mechanism, which can be used to enhance Data Replication in Mariposa Jeff Sidell, Paul M. Aoki, extensions to the economic model which support replica management, as well as our mechanisms for epoch.cs.berkeley.edu:8000/personal/aoki/papers/s2k-95-62.ps.gz

Perspectives on Optimistically Replicated.. - Page, Jr., Guy.. (1997) (Correct) (19 citations) who resolves it manually. In practice, conflict resolution has not been difficult for users, and 1 (DECEMBER 1997) Perspectives on Optimistically Replicated, Peer-to-Peer Filing T. W. PAGE, JR.R. Internet-based use. The premise is that replication is essential to deliver performance and www.cse.ogi.edu/~ashvin/publications/spe.ps

Improving Data Consistency in Mobile Computing Using.. - Lu, Satyanarayanan (1995) (Correct) (16 citations) a set of options for automatic and manual conflict resolution. In addition, application specific Disconnected operation based on an optimistic replica control strategy has proved to be a viable which dominated early discussions of optimistic replication, are relatively rare and can often be www.cs.cmu.edu/afs/cs/project/coda/Web/docdir/hotos95-iot.ps.gz

Bayou: Replicated Database Services for World-wide.. - Petersen, Spreitzer.. (1996) (Correct) (11 citations) at the same time in order to introduce new conflict resolution procedures. 2.4 Adaptability Bayou: Replicated Database Services for World-wide presents Bayou's mechanisms for permitting the replicas of a database to vary dynamically without global mosquitonet.stanford.edu/sigops96/papers/petersen.ps

Dynamic Version Vector Maintenance - David Ratner (1997) (Correct) (7 citations) that incorporate concurrent updates. Conflict resolution [5, 8] will resolve the conflict, and are the main data structure behind optimistic replication. Mobile computing, however, places new version vector. Decreased bandwidth and increased replication factors will exacerbate the scaling

ftp.cs.ucla.edu/tech-report/97-reports/970022.ps.Z

Peer Replication with Selective Control - Ratner, Popek, Reiher (1996) (Correct) (5 citations) conflicts after the fact. Once detected, **conflict resolution** must occur before normal file activity on Peer **Replica**tion with Selective Control David Ratner Gerald Los Angeles Abstract Peer-to-peer optimistic **replica**tion strategies provide improved functionality ftp.cs.ucla.edu/tech-report/96-reports/960031.ps.Z

Predictive Dynamic Load Balancing of Parallel and Distributed.. - Hasanat Dewan (1994) (Correct) (4 citations) execution semantics and a programmable **conflict resolution** capability through the use of programmer among an arbitrary number of rule program **replicas** evaluated at distinct processing sites, and ffl upon estimates of future workload of each program **replica** and available processing resources. Our www.cs.columbia.edu/~mauricio/papers/sigmod94.ps

View Consistency for Optimistic Replication - Goel (1996) (Correct) (4 citations)

: 22 3.2 Reconciliation and Conflict Resolution :25 3.3

Los Angeles View Consistency for Optimistic Replication A thesis submitted in partial satisfaction

: 27 3.4 Replica Selection:

ftp.cs.ucla.edu/tech-report/96-reports/960011.ps.Z

Improving Data Consistency for Mobile File Access Using.. - Qi Lu (1996) (Correct) (3 citations) semantics to be smoothly integrated for only **conflict resolution** and consistency validation. The practical www.cs.cmu.edu/afs/cs.cmu.edu/project/coda/Web/docdir/lu-thesis.ps.gz

Modular Authorization - Wedde, Lischka (2001) (Correct) (2 citations) or contradicting results, respectively. **Conflict resolution** mechanisms are presented, and examples are Dragon Slayer system [9] all nodes which store a **replica** of a file (storage node)and the node where the sphere autonomy. Under such circumstances **replica**tion (like in the Dragon Slayer system) would be Is3-www.cs.uni-dortmund.de/Publikationen/../Publikationen/sacmat2001.pdf

<u>Defining and Measuring Conflicts in Optimistic Replication - Heidemann, Goel, Popek (1995)</u> (Correct) (2 citations) these conflicting updates, after-the fact **conflict resolution** actions are required to recombine multiple Defining and Measuring Conflicts in Optimistic **Replica**tion John Heidemann Ashvin Goel Gerald Popek report UCLA-CSD-950033 Abstract Optimistic **replica**tion is often viewed as essential for large scale ftp.cs.ucla.edu/tech-report/95-reports/950033.ps.Z

A Research Status Report on Adaptation for Mobile Data Access - Noble, Satyanarayanan (1995) (Correct) (2 citations)

replication, optimistic replica control, conflict resolution, and isolation-only transactions, as well Mellon University. of Coda such as server replication, optimistic replica control, conflict of Coda such as server replication, optimistic replica control, conflict resolution, and isolation-only www-cgi.cs.cmu.edu/afs/cs.cmu.edu/user/bnoble/mosaic/papers/sigmod95.ps.gz

MIRROR: A State-Conscious Concurrency Control Protocol.. - Xiong, Ramamritham.. (1998) (Correct) (1 citation) protocol with a novel state-based realtime **conflict resolution** mechanism. In this scheme, the choice of A State-Conscious Concurrency Control Protocol for **Replica**ted Real-Time Databases Ming Xiong y Krithi VA 22903 stankovic@cs.virginia.edu Abstract Data **replica**tion can help database systems meet the stringent www-ccs.cs.umass.edu/~krithi/rtdb/mirror.ps

A Multi-version Approach to Conflict Resolution in Distributed.. - Sun, Chen (2000) (Correct) (1 citation) A Multi-version Approach to Conflict Resolution in Distributed Groupware Systems over the Internet have led us to adopt a replicated architecture for the storage of shared of shared documents: the shared documents are replicated at the local storage of each participating www.cit.gu.edu.au/~scz/papers/icdcs00.ps.Z

<u>Limitations for Inconsistency in Support Layers for Reliable .. - Tor Erlend Faegri (1995) (Correct) (1 citation)</u> assume that conflicts can be resolved by a **conflict resolution** authority like a reconciliation procedure, submitted to the ECOOP'95 Workshop on Mobility and **Replication** This position paper addresses some important respect to the provision of system support for **replication** in distributed object systems. To help sys192.cs.washington.edu/Related/4d.ps



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library C The Guide

+"conflict resolution" +dependency

SEARCH

Feedback Report a problem Satisfaction survey

Terms used conflict resolution dependency

Found **206** of **132.857**

Sort results by

relevance

Save results to a Binder Search Tips

Try an Advanced Search Try this search in The ACM Guide

Display expanded form results

Open results in a new window

Results 1 - 20 of 200

Result page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>

next Relevance scale

Best 200 shown

Managing update conflicts in Bayou, a weakly connected replicated storage system

D. B. Terry, M. M. Theimer, Karin Petersen, A. J. Demers, M. J. Spreitzer, C. H. Hauser December 1995 ACM SIGOPS Operating Systems Review, Proceedings of the fifteenth

ACM symposium on Operating systems principles, Volume 29 Issue 5

Full text available: pdf(1.56 MB)

Additional Information: full citation, references, citings, index terms

2 Full papers: An instrumentation and control-based approach for distributed application management and adaptation



D. Reilly, A. Taleb-Bendiab, A. Laws, N. Badr

November 2002 Proceedings of the first workshop on Self-healing systems

Full text available: pdf(86.37 KB)

Additional Information: full citation, abstract, references, index terms

Distributed applications are notoriously difficult to develop and manage due to their inherent dynamics and heterogeneity of component technologies and network protocols. Middleware technologies dramatically simplify the development of distributed applications, but they still prove difficult to manage at runtime. This paper considers the "on-going" development of a framework that provides instrumentation and control services, which extend core middleware services, to realize the runtime manageme ...

Keywords: control, dependency management, instrumentation, jini technology, middleware

Client-server computing in mobile environments Jin Jing, Abdelsalam Sumi Helal, Ahmed Elmagarmid June 1999 ACM Computing Surveys (CSUR), Volume 31 Issue 2

Full text available: pdf(233.31 KB)

Additional Information: full citation, abstract, references, citings, index terms, review

Recent advances in wireless data networking and portable information appliances have engendered a new paradigm of computing, called mobile computing, in which users carrying portable devices have access to data and information services regardless of their physical location or movement behavior. In the meantime, research addressing information access in mobile environments has proliferated. In this survey, we provide a concrete framework and categorization of the various way ...

Keywords: application adaptation, cache invalidation, caching, client/server, data dissemination, disconnected operation, mobile applications, mobile client/server, mobile compuing, mobile data, mobility awareness, survey, system application

4 Parallelism in sequential multiprocessor simulation models: a case study Hatem Sellami, Sudhakar Yalamanchili



Full text available: pdf(1.56 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>index terms</u>, review

The design and analysis of multiprocessor simulation models represents a complex and computationally demanding application that is a candidate for parallel simulation. This paper examines the application of conservative parallel discrete event simulation on a set of existing "real-world" models created over the years with no thought given to the parallel execution. These models are based on a subset of Petri Nets known as Marked graphs. The results of the study ...

Keywords: Petri nets, conservative synchronization, discrete event simulation, marked graphs, parallel architectures, parallel simulation, parallelism, partitioning and mapping

Mobile computing within a distributed deductive database
Kathleen Neumann, Martin Maskarinec

April 1997 Proceedings of the 1997 ACM symposium on Applied computing

Full text available: pdf(448.66 KB) Additional Information: full citation, references, index terms

Keywords: deductive database, disconnected operation, distributed database, mobile computing

6 Interoperability as a means of articulation work

Carla Simone, Gloria Mark, Dario Giubbilei

March 1999 ACM SIGSOFT Software Engineering Notes, Proceedings of the international joint conference on Work activities coordination and collaboration, Volume 24 Issue 2

Full text available: pdf(1.37 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>

The interoperability of systems to support cooperative work requires moving beyond purely technical issues; it also concerns the means and practices that users adopt to articulate their cooperative activities. Articulation has to be supported by a technology which focuses on this higher level of interoperability. This claim is motivated by observing the articulation process of users in real cooperative work practice. Based on this study, the functionality for this technology was designed to help ...

Keywords: architectures, awareness, cooperative work, groupware conventions, interoperability

7 Full Technical Papers: MORE for less: model recovery from visual interfaces for multidevice application design

Yves Gaeremynck, Lawrence D. Bergman, Tessa Lau

January 2003 Proceedings of the 8th international conference on Intelligent user

interfaces

Full text available: pdf(307.44 KB) Additional Information: full citation, abstract, references, index terms

An emerging approach to multi-device application development requires developers to build an abstract semantic model that is translated into specific implementations for web browsers, PDAs, voice systems and other user interfaces. Specifying abstract semantics can be difficult for designers accustomed to working with concrete screen-oriented layout. We present an approach to model recovery: inferring semantic models from existing applications, enabling developers to use familiar tools but still ...

Keywords: model recovery, multi-device application development, reverse engineering, rule systems, semantic modeling

8 Groupware: some issues and experiences

Clarence A. Ellis, Simon J. Gibbs, Gail Rein

January 1991 Communications of the ACM, Volume 34 Issue 1

Full text available: pdf(7.22 MB)

Additional Information: full citation, references, citings, index terms

9 Automatic dimensioning in design for manufacturing

David Serrano

May 1991 Proceedings of the first ACM symposium on Solid modeling foundations and CAD/CAM applications

Full text available: pdf(746.09 KB) Additional Information: full citation, references, citings, index terms

10 Routing algorithm for gate array macro cells

Atreyi Chakraverti, Moon Jung Chung

June 1988 Proceedings of the 25th ACM/IEEE conference on Design automation

Full text available: pdf(625.09 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

We will present an efficient dynamic algorithm for routing pre-placed gate array macro-cells. A novel data-structure based on corner stitching is introduced to represent the routing environment in a general gate array, where an uniform grid cannot be superimposed on the basic-cells. The near-optimal routing is accomplished in iterations with an initial shortest-path routing followed by conflict resolution using a coloring procedure and net reordering.

11 Applying WinWin to quality requirements: a case study

Hoh In, Barry Boehm, Thomas Rodgers, Michael Deutsch

July 2001 Proceedings of the 23rd international conference on Software engineering

Full text available: pdf(253.36 KB)

Publisher Site

Additional Information: full citation, abstract, references, index terms

This paper describes the application of the WinWin paradigm to identify and resolve conflicts in a series of real-client, student-developer digital library projects. The paper is based on a case study of the statistical analysis of 15 projects and an in-depth analysis of one representative project. These analyses focus on the conflict resolution process, stakeholders' roles and their relationships to quality artifacts, and tool effectiveness. We show that stakeholders tend to accept satisfact ...

Keywords: conflict identification and resolution, requirements engineering, risk, software cost analysis, software quality attributes

12 <u>Doctoral symposia</u>: Holistic framework for establishing interoperability of heterogeneous software development tools and models

Joseph Puett

May 2002 Proceedings of the 24th international conference on Software engineering

Full text available: pdf(216.82 KB) Additional Information: full citation, abstract, references, index terms

This research is an initial investigation into the development of a Holistic Framework for Software Engineering (HFSE) that establishes mechanisms by which existing software development tools and models will interoperate. The HFSE captures and uses dependency relationships among heterogeneous software development artifacts, the results of which can be used by software engineers to improve software processes and product integrity.

13 Transactional workflow paradigm: its application to mobile computing V. K. Murthy

February 1998 Proceedings of the 1998 ACM symposium on Applied Computing

Full text available: pdf(997.50 KB) Additional Information: full citation, references, citings, index terms

Keywords: agents, intention-action protocols, mobile transactions, serializability, workflow

14 <u>Designing and implementing asynchronous collaborative applications with Bayou</u> W. Keith Edwards, Elizabeth D. Mynatt, Karin Petersen, Mike J. Spreitzer, Douglas B. Terry, Marvin M. Theimer

October 1997 Proceedings of the 10th annual ACM symposium on User interface software and technology

Full text available: pdf(1.58 MB)

Additional Information: full citation, references, citings, index terms

Keywords: Bayou, asynchronous interaction, computer-supported cooprative work, distributed systems

15 DAIDA: an environment for evolving information systems
M. Jarke, J. Mylopoulos, J. W. Schmidt, Y. Vassiliou

January 1992 ACM Transactions on Information Systems (TOIS), Volume 10 Issue 1

Full text available: pdf(3.63 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>, <u>review</u>

We present a framework for the development of information systems based on the premise that the knowledge that influences the development process needs to somehow be captured, represented, and managed if the development process is to be rationalized. Experiences with a prototype environment developed in ESPRIT project DAIDA demonstrate the approach. The project has implemented an environment based on state-of-the-art languages for requirements modeling, design and implementation of informat ...

Keywords: knowledge engineering, mapping assistant, multi-level specification, repository, software information system, software process model

An asynchronous rule-based approach for business process automation using obligations

Alan Abrahams, David Eyers, Jean Bacon

October 2002 Proceedings of the 2002 ACM SIGPLAN workshop on Rule-based programming

Full text available: pdf(498.93 KB) Additional Information: full citation, abstract, references, index terms

The Edee architecture provides a mechanism for explicitly and uniformly capturing business occurrences, and provisions of contracts, policies, and law. Edee is able to reason about the interactions of intra-, inter-, and extra-organizational policy, and execute business procedures informed by the combined legal effects of these diverse rules. We show through an example how Edee's asynchronous approach, namely to initiate actions only after consulting the database to de ...

Keywords: conflict detection, conflict resolution, contracts, policies

17 Conflict representation and classification in a domain-independent conflict management framework

K. S. Barber, T. H. Liu, A. Goel, C. E. Martin

April 1999 Proceedings of the third annual conference on Autonomous Agents

Full text available: pdf(253.27 KB) Additional Information: full citation, references, index terms

Keywords: conflict classification, conflict detection, conflict resolution, multi-agent systems

18 Separating control from structural knowledge in construction expert systems
Andreas Günter, Roman Cunis, Ingo Syska

June 1990 Proceedings of the third international conference on Industrial and engineering applications of artificial intelligence and expert systems - Volume 2

Full text available: pdf(790.08 KB) Additional Information: full citation, abstract, references, index terms

In most expert systems for constructional tasks the knowledge base consists of a set of facts or object definitions and a set of rules. These rules contain knowledge about correct or ideal solutions as well as knowledge on how to control the construction process. In this paper we present an approach that avoids this type of rules and thus the disadvantages caused by them. We propose a static knowledge base consisting of a set of object definitions interconnected by is-a and part- ...

19 Use of metaknowledge in the verification of knowledge-based systems
L. J. Morell

June 1988 Proceedings of the first international conference on Industrial and engineering applications of artificial intelligence and expert systems - Volume 2

Full text available: pdf(994.79 KB) Additional Information: full citation, references, index terms

²⁰ Formal verification of pipeline conflicts in RISC processors

Ramayya Kumar, Sofiène Tahar

September 1994 Proceedings of the conference on European design automation

Full text available: pdf(696.24 KB) Additional Information: full citation, references, index terms